

## Pre-set thermostat NO 301040



## Product Features



<b>Brand Name:</b>	SoliTherm
<b>Order Number:</b>	301040
<b>Color:</b>	Grey RAL 7011
<b>Housing Material:</b>	PC plastic
<b>Ingress protection:</b>	IP 20
<b>Note:</b>	Hyst.10±2K / Sw.Pt.tol ±2
<b>Approvals:</b>	CE, cURus, RoHS
<b>UL File Nummer:</b>	E358385
<b>Taric Code:</b>	90321089

## Technical data 301040

<b>Temperature range:</b>	-45°C - 120°C
<b>Setting range:</b>	ON 50°C/122°F - OFF 40°C/104°F
<b>Mounting:</b>	Clips for DIN rail 35 mm
<b>Dimension H x W x D:</b>	60 x 39 x 38.9 mm
<b>Weight:</b>	~ 50 g
<b>Voltage / Frequency:</b>	max. 250 V AC 16 A(res) / 10 A(ind) max. 72 V DC max. 30 W
<b>Lifetime:</b>	100,000 hrs.
<b>Connection:</b>	2-pole terminal, clamping torque 0.5Nm max. solid wire - 2.5mm <sup>2</sup> max. stranded wire - 1.5mm <sup>2</sup> max.

Please click on the graphics to download.  
More CAD drawings can be found under [Product Download](#).  
> [Overview product group Thermal controls / Accessories](#)

**Cut out dimensions:**



[click image to enlarge](#)