

## Enclosure light 400 Lm 400000



### Product Features


<b>Brand Name:</b>	StripLite
<b>Order Number:</b>	400000
<b>Color:</b>	Top cover transparent / body blue
<b>Housing Material:</b>	PC plastic
<b>Ingress protection:</b>	IP 20
<b>Included:</b>	Built-in Motion Sensor, switch off time 5 min. Mounting accessories
<b>Note:</b>	class II
<b>Optional:</b>	With ON/OFF switch order no. 400100
<b>Approvals:</b>	CE, cURus
<b>Taric Code:</b>	94054099

## Technical data 400000

<b>Temperature range:</b>	-30°C -70°C
<b>Mounting:</b>	Magnets, clips
<b>Dimension H x W x D:</b>	357.4 x 32 x 35.5 mm
<b>Weight:</b>	140 gr.
<b>Voltage / Frequency:</b>	24-265 V DC/AC ~ 0/50/60 Hz
<b>Power consumption:</b>	4 Watt
<b>Lamp:</b>	LED, 120° angle, 6500K
<b>Luminosity:</b>	400 Lm
<b>Lifetime:</b>	50.000 hrs. @ 20°C
<b>Connection:</b>	Wieland connector

Please click on the graphics to download.  
More CAD drawings can be found under [Product Download](#).  
> [Overview product group LED Cabinet Lighting](#)

**Cut out dimensions:**



[click image to enlarge](#)

**Product Accessories:**




Wieland female connector part. no. 400702



Wieland male connector part. no. 400703



Connection cable with Wieland female connector, white 3 m, part no. 400711



[click image to enlarge](#)