

Air / air heat exchanger LT 58180-230V



Product Features

Brand Name:	SoliTherm
Order Number:	581800001
Color:	RAL 7035
Housing Material:	Mild Steel and Aluzinc
Ingress protection:	IP 56
Optional:	With stainless steel part no. 581800002
Approvals:	CE, RoHS
UL File Nummer:	SA9672
Taric Code:	84158300


Technical data LT 58180-230V

Heat exchanger performance:	180 W/K
Temperature range:	-40°C - +65°C
Air volume flow (system / unimpeded):	Ambient air circuit: - / 1400 m ³ /h Cabinet air circuit: - / 1400 m ³ /h
Mounting:	External
Dimension HxWxD:	1,524 x 609.6 x 356 mm
Weight:	55 kg
Voltage / Frequency:	230 V ~ 50/60 Hz
Rated current:	2 A / 2.7 A
Max. power:	620 W
Fuse:	4 A (T)
Connection:	Connecting cable 2m

Please click on the graphics to download.
 More CAD drawings can be found under [Product Download](#).
 > [Overview product group Air / Air Heat Exchangers](#)


Performance Graph:

T = Temperature difference between ambient and internal temperature
 P = Heat exchanger performance




[click image to enlarge](#)

Air flow:



[click image to enlarge](#)

Cut out dimensions:



[click image to enlarge](#)